NOTES

CLASSIC SERIES DOORS and DRAWER OPTIONS				
door name	standard drawer front	optional drawer front	inset hinge option**	construction
FOUR DIAMONDS ♦ ♦ ♦ ♦				
Flair raised panel	slab	5-part	yes	applied molding, m+t*
Flair reverse raised panel	slab	5-part	yes	applied molding, m+t*
Portrait raised panel	slab	5-part	yes	applied molding, m+t*
Portrait reverse raised panel	slab	5-part	yes	applied molding, m+t*
TWO + 1/2 DIAMONDS ◆ ◆ ◀				
Cannon reverse raised panel	slab	5-part	yes	m+t*
Ellsworth reverse raised panel	slab	5-part		m+t*
Frontenac raised panel	slab	5-part	yes	m+t*
Marshan reverse raised panel	slab	5-part	yes	m+t*
Ravenna reverse raised panel	slab	5-part	yes	m+t*

^{*} mortise and tenon

^{**} two options: beaded, non-beaded


6-04 Classic series cannon doorstyle


CANNON RR

FULL OVERLAY / INSET









DRAWER FRONT OPTIONS



SLAB [STANDARD]



DRAWER FRONT

OUTSIDE EDGE PROFILE	818	3/4"
PANEL PROFILE	690	
RAILS	708	2 1/4*
STILES	708	2 1/2*
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS 3/8-INCH CENTER PANEL 3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS
REVERSE RAISED PANEL

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

 DOOR
 8" X 8"

 DRAMER SLAB
 8" X 6 3/4"

 DRAWER 5-PIECE
 8" X 6 3/4"

NOTE: ALL TOP DRAWERS WITH A 5-PIECE FRONT WILL HAVE 2 1/2" STILES AND 2 1/4" RAILS

DOOR


OUTSIDE EDGE PROFILE	818	3/4"
PANEL PROFILE	690	
RAILS	708	2 1/2*
STILES	708	2 1/2*
APPLIED MOLDING	N/A	


ELLSWORTH RR

FULL OVERLAY / INSET









DRAWER FRONT OPTIONS



SLAB [STANDARD]



5-PIECE [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	800	3/4"
PANEL PROFILE	690	·
RAILS	701	2 1/4"
STILES	701	2 1/2"
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS 3/8-INCH CENTER PANEL 3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

 DOOR
 8" X 8"

 DRAWER SLAB
 8" X 6 3/4"

 DRAWER 5-PIECE
 8" X 6 3/4"

NOTE: ALL TOP DRAWERS WITH A 5-PIECE FRONT WILL HAVE 2 1/2" STILES AND 2 1/4" RAILS

DOOR

OUTSIDE EDGE PROFILE	800	3/4"
PANEL PROFILE	690	
RAILS	701	2 1/2"
STILES	701	2 1/2"
APPLIED MOLDING	N/A	

6-06 Classic series flair raised doorstyle


FLAIR RAISED

FULL OVERLAY / INSET









DRAWER FRONT OPTIONS







5-PIECE [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	690	1/4*
RAILS	701D	1 3/4" —
STILES	701D	2 1/2"
APPLIED MOLDING	AP102	25

CONSTRUCTION

MORTISE & TENON, APPLIED MOULDING 5/8-INCH THICK CENTER PANEL 3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS - PLUS MOULDING (3 3/8")

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

 DOOR
 12 1/2" X 12 1/2"

 DRAMER SLAB
 9 1/2" X 6 3/4"

 DRAMER 5-PIECE
 9 1/2" X 6 3/4"

NOTE: ALL TOP DRAWERS WILL HAVE 2 1/2" STILES AND 1 3/4" RAILS

DOOR

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	621	5/8"
RAILS	701D	2 1/2"
STILES	701D	2 1/2"
APPLIED MOLDING	AP102	25


FLAIR RR

FULL OVERLAY / INSET









DRAWER FRONT OPTIONS







5-PIECE [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	680	3/8"
RAILS	701D	1 3/4"
STILES	701D	2 1/2'
APPLIED MOLDING	AP102	2

CONSTRUCTION

MORTISE & TENON
APPLIED MOULDING
3/8-INCH THICK CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/2-INCH WIDE STILES AND RAILS
- PLUS MOULDING (3 3/8")

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

 DOOR
 9 1/2" X 9 1/2"

 DRAWER SLAB
 8" X 6 3/4"

 DRAWER 5-PIECE
 8" X 6 3/4"

NOTE: ALL TOP DRAWERS MILL HAVE 2 1/2" STILES AND 1 3/4" RAILS

DOOR

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	680	3/8"
RAILS	701D	2 1/2"
STILES	701D	2 1/2"
APPLIED MOLDING	AP102	25

6-08 Classic series frontenac raised panel


FRONTENAC RAISED




FULL OVERLAY / INSET










DRAWER FRONT OPTIONS







5-PIECE [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	690	
RAILS	704	2 1/4"
STILES	704	2 1/2"
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS 5/8-INCH CENTER PANEL 3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

 DOOR
 10 3/4" X 10 3/4"

 DRAWER SLAB
 8" X 6 3/4"

 DRAWER 5-PIECE
 8" X 6 3/4"

NOTE: ALL TOP DRAWERS WITH A 5-PIECE FRONT WILL HAVE 2 1/2" STILES AND 2 1/4" RAILS

DOOR

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	621	5/8"
RAILS	704	2 1/2"
STILES	704	2 1/2'
APPLIED MOLDING	N/A	


MARSHAN RR

FULL OVERLAY / INSET










DRAWER FRONT OPTIONS



SLAB [STANDARD]



5-PIECE [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	805	3/4*
PANEL PROFILE	680	3/8"
RAILS	707	2 1/4"
STILES	707	2 1/2"
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS 3/8-INCH CENTER PANEL

3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

DOOR DRAWER SLAB 8" × 8" 8" × 6 3/4" DRANER 5-PIECE 8" × 6 3/4"

NOTE: ALL TOP DRAWERS WITH A 5-PIECE FRONT WILL HAVE 2 1/2" STILES AND 2 1/4" RAILS.

DOOR

OUTSIDE EDGE PROFILE	805	3/4"
PANEL PROFILE	680	3/8"
RAILS	707	2 1/2"
STILES	707	2 1/2"
APPLIED MOLDING	N/A	

6-10 Classic series portrait raised doorstyle


PORTRAIT RAISED

FULL OVERLAY / INSET









DRAWER FRONT OPTIONS



SLAB [STANDARD]



5-PIECE [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	896	3/4*
PANEL PROFILE	690	
RAILS	701D	1 3/4"
STILES	701D	2 1/2"
APPLIED MOLDING	AP126	2

CONSTRUCTION

MORTISE AND TENON JOINTS 5/8-INCH CENTER PANEL 3/4-INCH THICK STILES AND RAILS

3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

 DOOR
 12 1/4" × 12 1/4"

 DRAWER SLAB
 8" × 6 3/4"

 DRAWER 5-PIECE
 8" × 6 3/4"

NOTE: ALL TOP DRAWERS WITH A 5-PIECE FRONT WILL HAVE 2 1/2" STILES AND 1 3/4" RAILS.

DOOR


OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	620	5/8*
RAILS	701D	2 1/2"
STILES	701D	2 1/2"
APPLIED MOLDING	AP126	1

PORTRAIT RR









DRAWER FRONT OPTIONS



SLAB [STANDARD]



5-PIECE [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	680	3/8"
RAILS	701D	1 3/4*
STILES	701D	
APPLIED MOLDING	AP126	2

CONSTRUCTION

MORTISE AND TENON JOINTS 3/8-INCH CENTER PANEL

3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

DOOR DRAWER SLAB 9 1/2" x 9 1/2' 8" x 6 3/4" DRANER 5-PIECE 8" × 6 3/4"

NOTE: ALL TOP DRAWERS WITH A 5-PIECE FRONT WILL HAVE 2 1/2" STILES AND 1 3/4" RAILS.

DOOR

OUTSIDE EDGE PROFILE	896	3/4"
PANEL PROFILE	680	3/8"
RAILS	701D	2 1/2"
STILES	701D	2 1/2"
APPLIED MOLDING	AP126	2


6-12 Classic series ravenna doorstyle

RAVENNA RR

FULL OVERLAY / INSET







DRAWER FRONT OPTIONS



SLAB [STANDARD]



DRAWER FRONT

OUTSIDE EDGE PROFILE	894	3/4"
PANEL PROFILE	680	3/8"
RAILS	702	2 1/4"
STILES	702	2 1/2"
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS 3/8-INCH CENTER PANEL

3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

MDF IN PAINTED FINISHES

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

DOOR DRAWER SLAB 8" × 8" 8" × 6 3/4" DRANER 5-PIECE 8" × 6 3/4"


NOTE: ALL TOP DRAWERS WITH A 5-PIECE FRONT WILL HAVE 2 1/2" STILES AND 2 1/4" RAILS

DOOR

OUTSIDE EDGE PROFILE	894	3/4'
PANEL PROFILE	680	3/8"
RAILS	702	2 1/2"
STILES	702	2 1/2"
APPLIED MOLDING	N/A	

FRAME DOORS

FULL OVERLAY / INSET



TO MATCH DOORSTYLE CONSTRUCTION

DRAWER FRONT

TO MATCH DOORSTYLE CONSTRUCTION

DOOR

CONSTRUCTION

MATCHES EDGE AND PROFILE OF DOOR STYLE

3/4-INCH THICK STILES AND RAILS 2 1/2-INCH WIDE STILES AND RAILS GLASS IS NOT INCLUDED

CENTER PANEL

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS DOOR: 8" × 8"

NOTES: 48" DOOR OR TALLER WILL HAVE AN INTERMEDIATE CENTER RAIL. FRAME DOOR IS NO CHARGE. DOES NOT INCLUDE COST OF FINISHED INTERIOR.

DRAWER FRONT

OUTSIDE EDGE PROFILE	TO MATCH DOORSTYLE	
PANEL PROFILE	TO MATCH	
RAILS	TO MATCH	
STILES	TO MATCH	
APPLIED MOLDING	ТО МАТСН	


DOOR

OUTSIDE EDGE PROFILE	TO MATCH DOORSTYLE	
PANEL PROFILE	ТО МАТСН	
RAILS	TO MATCH	
STILES	TO MATCH	
APPLIED MOLDING	TO MÁTCH	

6-14 Classic series mullion doorstyle

MULLION DOORS

FULL OVERLAY / INSET



TO MATCH DOORSTYLE CONSTRUCTION

DRAWER FRONT

TO MATCH DOORSTYLE CONSTRUCTION

DOOR

CONSTRUCTION

MATCHES EDGE AND PROFILE OF DOOR STYLE 3/4-INCH THICK STILES AND RAILS GLASS IS NOT INCLUDED

CENTER PANEL

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS DOOR: 8" X 8"

NOTES: MULLION DOOR IS AN UPCHARGE. DOES NOT INCLUDE COST OF FINISHED INTERIOR.

 12" TO 27" HIGH
 4 LITES

 28" TO 36" HIGH
 6 LITES

 37" TO 48" HIGH
 8 LITES

48" DOOR OR TALLER WILL HAVE AN INTERMEDIATE CENTER RAIL.


DRAWER FRONT

OUTSIDE EDGE PROFILE	TO MATCH DOORSTYLE	
PANEL PROFILE	ТО МАТСН	
RAILS	TO MATCH	
STILES	TO MATCH	
APPLIED MOLDING	ТО МАТСН	

DOOR

OUTSIDE EDGE PROFILE	TO MATCH DOORSTYLE	
PANEL PROFILE	ТО МАТСН	
RAILS	TO MATCH	
STILES	TO MATCH	
APPLIED MOLDING	TO MATCH	

PRAIRIE MULLION



TO MATCH DOORSTYLE CONSTRUCTION

DRAMER FRONT

TO MATCH DOORSTYLE CONSTRUCTION

DOOR

CONSTRUCTION

MATCHES EDGE AND PROFILE OF DOOR STYLE

3/4-INCH THICK STILES AND RAILS GLASS IS NOT INCLUDED

CENTER PANEL

OPTIONS

EDGE TREATMENTS

MOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-04

FINISHES

PLEASE SEE CHARTS ON PAGES 3-04 thru 3-06

MINIMUM REQUIREMENTS

000R: 14" X 18'

NOTES: 48" DOOR OR TALLER WILL HAVE AN INTERMEDIATE CENTER RAIL. PRAIRIE MULLION IS AN UPCHARGE. DOES NOT INCLUDE COST OF FINISHED INTERIOR.

DRAWER FRONT

OUTSIDE EDGE PROFILE	TO MATCH DOORSTYLE	
PANEL PROFILE	ТО МАТСН	
RAILS	ТО МАТСН	
STILES	ТО МАТСН	
APPLIED MOLDING	ТО МАТСН	

DOOR

OUTSIDE EDGE PROFILE	TO MATCH DOORSTYLE	
PANEL PROFILE	ТО МАТСН	
RAILS	TO MATCH	
STILES	TO MATCH	
APPLIED MOLDING	TO MATCH	

6-16 Classic series wainscoting



USING THE STILE AND RAIL CHOICES ALONG WITH THE CENTER PANEL OPTIONS FROM THE DESIGN YOUR OWN DOOR PROGRAM OR THE CLASSIC SERIES, YOU CAN DESIGN YOUR OWN WAINSCOTING.

DESIGN CONSIDERATIONS:

STILES AND RAILS CAN BE UP TO 3" WIDE WITH ONE EXCEPTION: THE BOTTOM RAILS MAY BE UP TO δ 1/2" HIGH IF SPECIFIED.

MAXIMUM PANEL SIZES: M 96" X 42" H - OR - M 30" X 96" H

ONLY AVAILABLE IN MORTISE AND TENON STILES AND RAILS - NOT AVAILABLE IN MITERED.

FINISHED FRONTS AND ALL EDGES IS STANDARD. FINSIHED BACK IS AT AN ADDITIONAL CHARGE.

EQUAL SPACING IS STANDARD. ADDITIONAL CHARGES APPLY FOR MODIFIED SPACING. FOR EXAMPLE: A 60/40 SPLIT.

