



warranties & descriptions





Amenity - ON:U Warranty

Ovation Cabinetry (“Ovation”) takes pride in its standards of craftsmanship and use of high quality materials in its **Amenity** and **ON:U** lines (“Amenity-ON:U”). As a measure of our confidence, we extend to you, the original consumer, a lifetime limited warranty that will be in effect for as long as you own your cabinets. This warranty covers all cabinets manufactured by Amenity-ON:U and purchased through an authorized Amenity-ON:U dealer. It is tendered to the original consumer and applies only to the repair or replacement of defective materials at the sole discretion of the manufacturer. Amenity-ON:U does not cover the removal, shipment, or re-installation of defective materials or any incidental damage caused by person(s) performing these operations. Warranty for drawer slides and other hardware items is covered by the respective manufacturer of each item.

This warranty is void if there is any evidence of abuse, neglect, inappropriate storage or improper installation of cabinets. The Warranty does not apply to the natural characteristics of wood. Color variation, graining and color changes due to aging are not covered. All wood is susceptible to dryness and humidity. Cracking or movement due to environment and/or aging of the product may occur and these issues are not covered by the Warranty. Painted finishes are especially susceptible to environmental conditions and paint may crack wherever there is a seam or joint in the wood.

Any defect in foil doors will be covered by the warranty of the manufacturer of the doors. Chips, scratches, etc., are not covered by the Warranty. If this happens, a new door can be purchased through your dealer.

Thank you for purchasing Ovation cabinetry.

DEALER TAKE NOTE: OWNER NAME AND ADDRESS MUST BE SUBMITTED WITH ORDER OR WARRANTY IS NULL & VOID. ALSO, ANY WORK DONE ON THE CABINETRY WITHOUT WRITTEN PERMISSION WILL NULLIFY ANY OVATION OR VENDOR WARRANTY. THERE WILL BE NO BILLBACKS.



Amenity

by OVATION

Amenity is American-styled framed cabinetry

Showcases America's finest furniture: functional and fashionable.

Utilizing the abundant natural resources this proud land has to offer, man and machine together create a wide variety of designs that satisfy the most discerning tastes.

"The signature of many goes on each cabinet we make."



ON:U is European-styled frameless cabinetry

The best of European Design


Engineered beauty, versatility with symmetry, and performance without sacrifice.

Specialty hardware, designed for smooth and effortless operation, allows you total utilization of space through maximum accessibility.

At its best “functional simplicity.”

Amenity

by OVATION



NOTE: Shelf Standards
 One shelf standard in, and up to 24-inch high;
 Two shelves standard in, and up to, 36-inch high;
 Three shelves standard in and up to 54-inch high;
 Four shelves standard in 60-inch and above

AMENITY WALL Parts List


part number	part description	size	quantity
1	top	1/2-in plywood	1
2	bottom/deck	1/2-in plywood	1
3	unfinished end panel	1/2-in plywood	
4	finished end panel	1/2-in plywood, matching veneer	
5	back	1/4-in plywood	1
6	hanging rail	1/2-in plywood	2
7	shelf + integrated shelf clips	3/4-in plywood, full-depth and adjustable	
8	Blum hinge	Blum Soft Close 107° hinge	2
9	matching wood veneer shelf edgebanding	3/4-in x 1mm	
10	face frame	3/4-in solid wood	

DRAWER BOX	
sides	5/8-in solid hardwood
bottom	nominal 1/2-in plywood
finish	catalyzed varnish
glide	Tandem Plus Blumotion 563, static load capacity 100 lbs.

INTERIOR	
Birch veneer, UV coated	standard
Matching veneer interior [MVI]	upcharge

REVEALS	
1/4-in Reveal LEFT and RIGHT side of cabinet	
1/4-in Reveal TOP of cabinet	
1/4-in Reveal BOTTOM of cabinet	

OPTIONS	



NOTE: Shelf Standards
 One shelf standard in, and up to 24-inch high;
 Two shelves standard in, and up to, 36-inch high;
 Three shelves standard in and up to 54-inch high;
 Four shelves standard in 60-inch and above

DRAWER BOX	
sides	5/8-in solid hardwood
bottom	nominal 1/2-in plywood
finish	catalyzed varnish
glide	Tandem Plus Blumotion 563, static load capacity 100 lbs.

REVEALS	
1/16-in Reveal LEFT and RIGHT side of cabinet	
1/8-in Reveal TOP of cabinet	
NO Reveal (flush) BOTTOM of cabinet	
1/8-in vertical Reveal BETWEEN drawer fronts and doors	
1/8-in BETWEEN butt doors	


ON:U WALL Parts List			
part number	part description	size	quantity
1	top	3/4-in melamine* two sides	1
2	bottom/deck	3/4-in melamine* two sides	1
3	unfinished end panel	3/4-in melamine* two sides	
4	integral wood finished end panel [gables may be needed]	3/4-in melamine,* matching veneer	
5	back	1/4-in melamine* one side	1
6	hanging rail	3/4-in melamine* one side	2
7	shelf + integrated shelf clips	3/4-in melamine* two sides full-depth and adjustable	
8	Blum hinge	Blum Soft-Close 110° hinge	2
9	assembly screws	#4 x 1-5/8 in square drive	
10	edgebanding matches cabinet interior	3/4-in; All hardwood exterior or foils acrylic melamine*	
11	edgebanding matches cabinet interior	3/4-in wide	
	bumper pads, recessed		
INTERIOR			
	Hard Rock Maple Melamine on furniture board		standard
	Folk Stone Gray on furniture board		upcharge
	Silver Frost on furniture board		upcharge
	White on furniture board		upcharge
	Birch veneer, UV coated on plywood		standard
OPTIONS			
	Integral wood finished ends [gables may be needed]		upcharge

* thermally fused

8 base cabinets

Amenity

by OVATION



AMENITY BASE Parts List

part number	part description	size	quantity
1	stretcher	1/2-in x 4-in plywood	1
2	bottom/deck	1/2-in plywood	1
3	unfinished end panel	1/2-in plywood	
4	finished end panel	1/2-in plywood, matching veneer	
5	back	1/4-in plywood	1
6	hanging rail	1/2-in plywood	2
7	shelf + integrated shelf clips	3/4-in plywood, full-depth and adjustable	1
8	Blum hinge	Blum Soft Close 107° hinge	2
9	matching wood veneer shelf edgebanding	3/4-in x 1mm	
10	full-length end panel	3/4-in solid wood	

INTERIOR

Birch veneer, UV coated	standard
-------------------------	----------

OPTIONS

Tandem Plus Blumotion 569, static load capacity 125 lb slide	upcharge
Mitered Finished End	upcharge

DRAWER BOX

sides	5/8-in solid hardwood
bottom	nominal 1/2-in plywood
finish	catalyzed varnish
glide	Tandem Plus Blumotion 563, static load capacity 100 lbs.


REVEALS

1/4-in Reveal LEFT and RIGHT side of cabinet
1/4-in Reveal TOP of cabinet
1/4-in Reveal BOTTOM of cabinet
1/4-in Reveal BETWEEN doors and drawer fronts

10 tall cabinets

Amenity

by OVATION



NOTE: Maximum Height is 96-inches

AMENITY TALL Parts List

part number	part description	size	quantity
1	top	1/2-in plywood	1
2	bottom/deck	1/2-in plywood	1
3	unfinished end panel	1/2-in plywood	
4	finished end panel	1/2-in plywood, matching veneer	
5	back	1/4-in plywood	1
6	hanging rail	1/2-in plywood	3
7	intermediate rail+floor	1/2-in plywood, rail is solid wood	1
8	shelf + integrated shelf clips	3/4-in plywood, UV edgeband full-depth and adjustable	
9	Blum hinge	Blum Soft Close 107° hinge	5
10	veneer edgeband	3/4-in x 1mm, shelves only	
11	full length end panel	1/2-in plywood	

INTERIOR


Birch veneer, UV coated standard

OPTIONS

Mitered Corner upcharge

REVEALS

1/4-in Reveal LEFT and RIGHT side of cabinet
1/4-in Reveal TOP of cabinet
1/4-in Reveal BOTTOM of cabinet
1/4-in Reveal BETWEEN doors and drawer fronts



NOTE: Maximum Height is 96-inches

ON:U TALL Parts List

part number	part description	size	quantity
1	top	3/4-in melamine two side	1
2	bottom/deck	3/4-in melamine two side	1
3	unfinished end panel	3/4-in melamine two side	
4	finished end panel	3/4-in melamine, matching veneer	
5	back	1/4-in melamine one side	1
6	hanging rail	3/4-in melamine one side	3
7	shelf + integrated shelf clips	3/4-in melamine two sides full-depth, adjustable	
8	intermediate floor	3/4-in melamine two sides	1
9	Blum hinge	Blum Soft-Close 110° hinge	5
10	system screws	5mm x 14.5mm coarse thread	
11	assembly screws	#4 x 1-5/8-in square drive	
12	veneer edgeband	3/4-in x 1mm All hardwood exterior foils acrylic melamine	
13	melamine band	3/4-in x 1mm	
14	full length end panel	3/4-in melamine one side	
	bumper pads, recessed		

INTERIOR


Hard Rock Maple Melamine	standard
Folk Stone Gray on furniture board	upcharge
Silver Frost on furniture board	upcharge
White on furniture board	upcharge
Birch veneer, UV coated, on plywood	standard

OPTIONS

Fold-out Levelers [feet]	upcharge
--------------------------	----------

REVEALS

1/16-in Reveal LEFT and RIGHT side of cabinet
1/8-in Reveal TOP of cabinet
NO Reveal (flush) BOTTOM of cabinet
1/8-in vertical Reveal BETWEEN drawer fronts and doors
1/8-in BETWEEN butt doors



AMENITY VANITY Parts List

part number	part description	size	quantity
1	stretcher	1/2-in x 4-in plywood	1
2	bottom/deck	1/2-in plywood	1
3	unfinished end panel	1/2-in plywood	
4	finished end panel	1/2-in plywood, matching veneer	
5	back	1/4-in plywood	1
6	hanging rail	1/2-in plywood	2
7	shelf + integrated shelf clips	3/4-in plywood, full-depth and adjustable	1
8	Blum hinge	Blum 110° hinge with Soft-Close	2
9	veneer edgeband	3/4-in x 1mm, shelves only	
10	full-length end panel	1/2-in plywood	

INTERIOR		
Birch veneer, UV coated		standard


OPTIONS		
Tandem Plus Blumotion 569, static load capacity 125 lb		upcharge

DRAWER BOX

sides	5/8-in solid hardwood
bottom	nominal 1/2-in plywood
finish	catalyzed varnish
glide	Tandem Plus Blumotion 563, static load capacity 100 lbs.

REVEALS

1/4-in Reveal LEFT and RIGHT side of cabinet
1/4-in Reveal TOP of cabinet
1/4-in Reveal BOTTOM of cabinet
1/4-in Reveal BETWEEN doors and drawer fronts



ON:U VANITY Parts List

part number	part description	size	quantity
1	top	3/4-in melamine one side	1
2	stretcher	3/4-in x 4-in melamine, two sides	1
3	bottom/deck	3/4-in melamine one side	1
4	unfinished end panel	3/4-in melamine two sides	2
5	finished end panel	3/4-in plywood, matching veneer	2
6	back	1/4-in melamine one side	1
7	hanging rail	3/4-in melamine one side	2
8	shelf + integrated shelf clips	3/4-in plywood, full-depth and adjustable	1
9	Blum hinge	Blum 110° hinge w/ Soft-Close	2
10	system screws	5mm x 14.5mm coarse thread	
11	assembly screws	#4 x 1-5/8 in square drive	
12	veneer edgeband	3/4-in x 1mm	
13	melamine band	3/4-in x 1mm	
14	full-length end panel	3/4-in melamine one side	
	bumper pads, recessed		

DRAWER BOX	
sides	5/8-in solid hardwood
bottom	nominal 1/2-in plywood
finish	catalyzed varnish
glide	Tandem Plus Blumotion 563, static load capacity 100 lbs.

REVEALS	
1/16-in Reveal LEFT and RIGHT side of cabinet	
1/8-in Reveal TOP of cabinet	
NO Reveal (flush) BOTTOM of cabinet	
1/8-in vertical Reveal BETWEEN drawer fronts and doors	
1/8-in BETWEEN butt doors	







INTERIOR	
Hard Rock Maple Melamine	standard
Folk Stone Gray on furniture board	upcharge
Silver Frost on furniture board	upcharge
White on furniture board	upcharge
Birch veneer, UV coated, on plywood	standard
OPTIONS	
Tandem Plus Blumotion 569, static load capacity 125 lb	upcharge
Blum Tip-On Latch for doors, drawers installed [no Soft-Close available]	upcharge
Fold-out Levelers [feet]	upcharge

14 drawers




DRAWER STANDARD
 AMENITY + ON:U DRAWER DETAIL
 SMOOTH, NON-ROUTED HARDWOOD
 RECESSED LOGO [TOP DRAWER ONLY]
 BLUM COMPACT INTEGRAL SOFT CLOSE

DRAWER OPTION 1 [UPCHARGE]
 AMENITY + ON:U DRAWER DETAIL
 BEADED HARDWOOD
 RECESSED LOGO [TOP DRAWER ONLY]
 BLUM COMPACT INTEGRAL SOFT CLOSE




DRAWER BOX	
sides	5/8-in solid hardwood
bottom	nominal 1/2-in plywood
finish	catalyzed varnish
glide	Tandem Plus Blumotion 563, static load capacity 100 lbs., Soft Close
height	available in 4-1/8-inch, 7-1/8-inch, and 10-1/4-inch heights [drawers only]
OPTIONS	
Beaded Hardwood Drawer, Recessed logo on Top Drawer only	upcharge
Tandem Plus Blumotion 569, static load capacity 125 lb, Soft Close	upcharge




ROLLOUT STANDARD
 AMENITY + ON:U ROLLOUT DETAIL
 SMOOTH, NON-ROUTED HARDWOOD
 NO LOGO
 BLUM COMPACT INTEGRAL SOFT CLOSE

ROLLOUT OPTION 1 [UPCHARGE]
 AMENITY + ON:U ROLLOUT DETAIL
 BEADED HARDWOOD
 NO LOGO
 BLUM COMPACT INTEGRAL SOFT CLOSE

LEFT SIDE VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



RIGHT SIDE VIEW



FRONT VIEW



FRONT VIEW



ROLLOUT	
sides	5/8-in solid hardwood
bottom	nominal 1/2-in plywood
finish	catalyzed varnish
glide	Tandem Plus Blumotion 563, static load capacity 100 lbs., Soft Close
height	available in 4-1/8-inch only
OPTIONS	
Beaded Hardwood Rollout, NO logo	upcharge
Tandem Plus Blumotion 569, static load capacity 125 lb, Soft Close	upcharge

INSET FRAMES - AMENITY

INSET FRAME "A"
FLUSH FRAME



INSET FRAME "B"
1/4-INCH BEAD FRAME



INSET FRAME "K"
3/16-INCH SETBACK
3/4-IN FRAME; 3/4-IN DOOR



BARREL HINGES
FLAT PIN
Antique English
Black
Oil-Rubbed Bronze
Nickel
Brushed Nickel
Pewter
BALL PIN
Antique English
Black
Unlacquered Brass
Oil-Rubbed Bronze
Nickel
Brushed Nickel
Pewter

HINGE OPTIONS

CONCEALED BLUM HINGE

BARREL HINGE AVAILABLE ONLY WITH INSET FRAME A



Flat Pin Antique English



Flat Pin Nickel



Ball Pin Antique English



Ball Pin Nickel



Ball Pin Unlacquered Brass



Flat Pin Black



Flat Pin Brushed Nickel



Ball Pin Black



Ball Pin Brushed Nickel



Flat Pin Oil Rubbed Bronze



Flat Pin Pewter



Ball Pin Oil Rubbed Bronze



Ball Pin Pewter

MAGNETIC CATCHES WILL BE INSTALLED ON ALL INSET CABINETRY WITH BARREL HINGE. **IF A DOOR HAS A MAGNET, THERE IS NO SOFT CLOSE FEATURE.**

REDUCES INTERIOR BY 3/4-INCH



LEGRABOX

OPTIONAL ON:U DRAWER CHOICE IS AVAILABLE IN GRAY FINISH
OR STAINLESS STEEL [SHOWN ABOVE]

ON:U OPTIONS

LEGRABOX [Gray finish or Stainless Steel]	upcharge
---	----------

