


ELITE series doorstyles

4-02 Elite series

Overture inset frame styles A - K

OVERTURE INSET FRAMES
Ovation offers several inset frame options. Not all are available with every inset doorstyle. Please refer to doorstyle sheets.



NOTE: Many of the doors listed below have 'wide' stiles and rails. Please be aware that the top drawer on a base cabinet is 6-3/4-inches high and the rails on a 5-part drawer front may be as small as 1-3/4-inches high.

NOTE: Mitered door styles will all have 2-1/4-inch or 1-1/2-inch stiles and rails on a 5-part drawer front.

NOTE: Price relates to doorstyle and is independent of finish selection.

SOLID WOOD DOOR LIST and DRAWER OPTIONS					
door name	standard drawer front	optional 3-part drawer front	optional 5-part drawer front	optional 5/4-inch Statesman	upgraded drawer front shown
Addison	slab		x		x
Alexandria	slab		x		x
Arden	slab			slab	
Ashland (french miter, mdf center panel)	5-part				
Aspen Ridge	5-part				
Augustana	5-part				
Balfour	5-part			x	x
Bondurant (solid center panel)	5-part				
Brooklyn (french miter, mdf center panel)					
Butte	5-part				
Caledonia	5-part			x	
Cambridge	5-part				
Cardiff	5/4-in Statesman				
Centennial	5-part				
Chancellor	5-part				
Clayton	slab	x	x		x
Cologne	5-part				
Conrad	slab	x	x		x
Cranston	slab		x		x
Cresta (french miter, mdf center panel)	5-part				
Del Rio (french miter, mdf center panel)	5-part				
Holston	5-part			x	x
Houghton	slab	x			x
Juilliard	5-part				
Kensington	slab w-moulding				
Kincaid	slab		x		

4-04 Elite series wood doorstyles

SOLID WOOD DOOR LIST and DRAWER OPTIONS					
door name	standard drawer front	optional 3-part drawer front	optional 5-part drawer front	optional 5/4-inch Statesman	upgraded drawer front shown
Manhattan	5-part				
Marymount	5-part				
Manor (french miter, mdf center panel)	5-part				
Meridian (updated Navarone)	slab		x		x
Montana	slab		x		x
Odessa	slab		x		
Oslo	5-part				
Pacific	5-part				
Pasadena	5-part				
Plaza	slab	x	x		x
Pleasanton	5-part				
Preston	5-part				
Pullman	5-part				
Putnam	5-part				
Ramsey	slab				
Rio Verde (french miter, mdf center panel)	5-part				
Schaumburg	slab		x		x
Slater	slab		x		x
Stanford	5-part				
Stockton	slab	x			x
Summit	slab				

NOTE: Many of the above doors have 'wide' stiles and rails. Please be aware that the top drawer on a base cabinet is 6-3/4-inches high and the rails on a 5-part drawer front may be as small as 1-3/4-inches high.

NOTE: Mitered door styles will all have 2-1/4-inch or 1-1/2-inch stiles and rails on a 5-part drawer front.

NOTE: Price relates to doorstyle and is independent of finish selection.

SOLID WOOD DOOR LIST and DRAWER OPTIONS					
door name	standard drawer front	optional 3-part drawer front	optional 5-part drawer front	optional 5/4-inch Statesman	upgraded drawer front shown
Telluride	5-part				
Trenton	slab				x
Tuscany	5-part				
Vision	slab/molding		x		
Waldorf	slab			x	x
Waterford	slab			x	x
Wellston	slab				
Yosemite	5-part				
Mullion INFORMATION					
Mullion: 4-,6-,8-,5-,7-lite					
Mullion: arched					
Mullion: curved					
Open louvered					
Combination frame & panel					

NOTE: Many of the above doors have 'wide' stiles and rails. Please be aware that the top drawer on a base cabinet is 6-3/4-inches high and the rails on a 5-part drawer front may be as small as 1-3/4-inches high.

NOTE: Mitered door styles will all have 2-1/4-inch or 1-1/2-inch stiles and rails on a 5-part drawer front.

NOTE: Price relates to doorstyle and is independent of finish selection.

4-06 Elite series
wood doorstyles KEY

ADDISON-30



Doorstyle Name

Price Level Indicators
Shaded icons range from 1 to 5.
One is a lowest price door.
Five is a highest price door.

KEY

DRAWER FRONT OPTIONS

DRAWER FRONT information
Choices vary from doorstyle
to doorstyle. This information
refers to drawer fronts ONLY.

DOOR information
DOOR information refers to
this doorstyle ONLY.

DRAWER FRONT

OUTSIDE EDGE PROFILE	D30	
PANEL PROFILE	PR324-10	
RAILS	SR101	
STILES	SR101	
APPLIED MOLDING	387	

CONSTRUCTION

EDGE TREATMENTS

WOOD SPECIES

CENTER PANEL

FINISHES

OPTIONS


MINIMUM REQUIREMENTS

DOOR


OUTSIDE EDGE PROFILE	D30	
PANEL PROFILE	PR324-10	
RAILS	SR101	
STILES	SR101	
APPLIED MOLDING	387	

Detail Information
This area describes construction details, woods and
other information about the doorstyle on this page.

ADDISON-30



DRAWER FRONT
[UPCHARGE SHOWN]



DOOR


DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D30	
PANEL PROFILE	PR324-10	
RAILS	SR101	
STILES	SR101	
APPLIED MOLDING	387	

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOLDING

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

MINIMUM REQUIREMENTS


DOOR 8" X 8"
DRAWER SLAB 8" X 6 3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 8" X 6 3/4"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	D30	
PANEL PROFILE	PR324-10	
RAILS	SR101	
STILES	SR101	
APPLIED MOLDING	387	

4-08 Elite series
alexandria doorstyle

ALEXANDRIA-30




DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D30	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	807	

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK **RAISED CENTER PANEL**
3/4-INCH THICK STILES AND RAILS
3 1/8-INCH WIDE STILES AND RAILS
APPLIED MOLDING

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE



MINIMUM REQUIREMENTS

DOOR 12" X 12"
DRAWER SLAB 9" X 6 3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 12" X 6 3/4"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D30	
PANEL PROFILE	PR320	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	807	

ARDEN-70

DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]




5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D70	
DRAWER STYLE	RFB203	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE & TENON
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3 1/2-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19





OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE?


MINIMUM REQUIREMENTS

DOOR 12" X 12"
DRAWER SLAB 6" X 6-3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN 6" X 6-3/4"


DOOR

OUTSIDE EDGE PROFILE	D70	
PANEL PROFILE	PR302	
RAILS	SR105	
STILES	SR105	
APPLIED MOLDING	N/A	


4-10 Elite series
ashland [french miter] doorstyle - mdf center panel




DRAWER FRONT OPTIONS




SLAB [UPCHARGE]



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP678-57	
STILES	MP678-76	
APPLIED MOULDING		

CONSTRUCTION

3/4-INCH THICK MDF CENTER PANEL
3/4-INCH THICK WOOD STILES AND RAILS
3-INCH WIDE STILE AND RAILS

FRONT WILL ACCEPT DOOR ADJUSTERS

CENTER PANEL

3-INCH WIDE STILES

OPTIONS

FULL OVERLAY 1/4" REVEAL TOP
FULL OVERLAY 1/8" REVEAL TOP
SEGUE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES


PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19
NATURE'S OWN IS STANDARD.

MINIMUM REQUIREMENTS


DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP678-76	
STILES	MP678-76	
APPLIED MOULDING		

ASPEN RIDGE




DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS




SLAB [UPCHARGE]



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR123	
STILES	SR123	
APPLIED MOULDING		

CONSTRUCTION

3/4-INCH THICK MDF CENTER PANEL
1-INCH THICK WOOD STILES AND RAILS
3-INCH WIDE STILE AND RAILS

FRONT WILL ACCEPT DOOR ADJUSTERS PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

3-INCH WIDE STILES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19 NATURE'S OWN IS STANDARD.

OPTIONS

FULL OVERLAY 1/4" REVEAL TOP
FULL OVERLAY 7/8" REVEAL TOP
SEGUE


MINIMUM REQUIREMENTS

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR123	
STILES	SR123	
APPLIED MOULDING		

4-12 Elite series
augustana doorstyle

AUGUSTANA-18



DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D18	
DRAWER STYLE	PR301	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	101	

CONSTRUCTION

MORTISE & TENON
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOLDING

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE?

MINIMUM REQUIREMENTS


DOOR
DRAWER SLAB
DRAWER 3-PIECE
DRAWER 5-PIECE
DRAWER 5/4 STATESMAN

9" X 9"
N/A
N/A
9" X 6-3/4"
N/A


DOOR

OUTSIDE EDGE PROFILE	D18	
PANEL PROFILE	PR301	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	101	

Elite series 4-13
balfour doorstyle




DRAWER FRONT
[UPCHARGE SHOWN]




DOOR

DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	N/A	
RAILS	N/A	
STILES	N/A	
DRAWER STYLE [UPCHARGE DRAWER]	1365	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED CORNER
5/8-INCH RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3- INCH WIDE STILE AND RAILS
FIVE-PIECE DRAWER FRONT:
2 1/4- INCH WIDE RAILS
2 1/4- INCH WIDE STILES

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 12" X 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 12" X 6 3/4"
DRAWER 5/4 STATESMAN 9" X 6 3/4"


DOOR

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR302	
RAILS	MP718-75	
STILES	MP718-75	
APPLIED MOLDING	N/A	


4-14 Elite series
notes

NOTES

BONDURANT-33




DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP646-57	
STILES	MP646-57	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED CORNER
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILE AND RAILS

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE

MINIMUM REQUIREMENTS

DOOR 9" X 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 6-3/4"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP646-76	
STILES	MP646-76	
APPLIED MOLDING	N/A	

4-16 Elite series

brooklyn [french miter] doorstyle - mdf center panel



DRAWER FRONT OPTIONS




SLAB [UPCHARGE]



3-PIECE [STANDARD]



5-PIECE [UPCHARGE]



5/4 STATESMAN [UPCHARGE]

CONSTRUCTION

3/4-INCH THICK MDF CENTER PANEL
3/4-INCH THICK WOOD STILES AND RAILS
3-INCH WIDE STILE AND RAILS

FRONT WILL ACCEPT DOOR ADJUSTERS

CENTER PANEL

3-INCH WIDE STILES

OPTIONS

FULL OVERLAY 1/4" REVEAL TOP
FULL OVERLAY 1/8" REVEAL TOP
SEGUE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19
NATURE'S OWN IS STANDARD.


MINIMUM REQUIREMENTS

DRAWER FRONT


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP646-57	
STILES	MP646-76	
APPLIED MOULDING		

DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP678-76	
STILES	MP678-76	
APPLIED MOULDING		




DRAWER FRONT




DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

INSET
3/8-INCH THICK FLAT
CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOULDING

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

RUSTIC NAILS CAN BE ADDED
TO THIS DOOR STYLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 10 1/2" X 10 1/2"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 10-1/2" X 5-1/16"
DRAWER 5/4 STATESMAN N/A

DRAWER FRONT

DRAWER STYLE		
PANEL PROFILE	N/A	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	1044	


DOOR

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	1044	


4-18 Elite series
notes

NOTES

CALEDONIA-79

DRAWER FRONT




DOOR


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

FULL OVERLAY
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES
3 1/2-INCH WIDE STILES AND RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08





FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19





MINIMUM REQUIREMENTS

DOOR 10" X 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 10" x 6-3/4"
DRAWER 5/4 STATESMAN N/A

DRAWER FRONT


OUTSIDE EDGE PROFILE	D79	
PANEL PROFILE	PR324-10	
RAILS	SR121	
STILES	SR121	
APPLIED MOLDING	N/A	

DOOR


OUTSIDE EDGE PROFILE	D79	
PANEL PROFILE	PR324-10	
RAILS	SR121	
STILES	SR121	
APPLIED MOLDING	N/A	

4-20 Elite series
cambridge doorstyle

CAMBRIDGE




DRAWER



DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER

OUTSIDE EDGE PROFILE	N/A	N/A
PANEL PROFILE	PR324-10	
RAILS	MP102-57	
STILES	MP102-57	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED CORNER
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILE AND RAILS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE



MINIMUM REQUIREMENTS

DOOR 11" X 11"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 8" X 6 3/4"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	N/A	N/A
PANEL PROFILE	PR302	
RAILS	MP102-76	
STILES	MP102-76	
APPLIED MOLDING	N/A	


Elite series 4-21 cardiff doorstyle




DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE



5/4 STATESMEN [STANDARD]

DRAWER FRONT

DRAWER STYLE	EX153543NC	SEE DRAWER FRONT DWG FOR DIMENSIONS
PANEL PROFILE	N/A	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED CORNER
3/8-INCH THICK FLAT CENTER PANEL
1-INCH THICK STILES AND RAILS
4 1/2-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE
WAINSCOT AVAILABLE?

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19



MINIMUM REQUIREMENTS

DOOR 12" x 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN 9" x 6-3/4"


DOOR

DOOR STYLE	10M	SEE DOOR FRONT DWG FOR DIMENSIONS
PANEL PROFILE	PR324-10	3/8"
RAILS	EX153540NC	4 1/2"
STILES	EX153540NC	4 1/2"
APPLIED MOLDING	N/A	

4-22 Elite series
centennial doorstyle




DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR305	
RAILS	MP763-38	
STILES	MP763-38	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE


MINIMUM REQUIREMENTS

DOOR	11" x 11"
DRAWER SLAB	N/A
DRAWER 3-PIECE	N/A
DRAWER 5-PIECE	11" x 6-3/4"
DRAWER 5/4 STATESMAN	N/A


DOOR

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR305	
RAILS	MP763-76	
STILES	MP763-76	
APPLIED MOLDING	N/A	

CHANCELLOR




DRAWER FRONT



DOOR

[SHOWN WITH OVERTURE 6 FRAME [1 1/8-INCH THICK]


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	102	

CONSTRUCTION

INSET
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOLDING

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

AVAILABLE FRAMES: OVERTURE 6

MINIMUM REQUIREMENTS


DOOR 10" x 10"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 10" x 5-1/16"
DRAWER 5/4 STATESMAN N/A

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR305	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	102	

4-24 Elite series
clayton doorstyle


CLAYTON-33



DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	N/A	
RAILS		
STILES		
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES
5/8-INCH THICK RAILS
4 1/2-INCH WIDE STILE AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOAT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19


MINIMUM REQUIREMENTS

DOOR 12" X 12"
DRAWER SLAB N/A
DRAWER 3-PIECE 9" X 6 3/4"
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR111	
APPLIED MOLDING	N/A	

COLOGNE




DRAWER FRONT




DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

MITERED CORNER
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 9" X 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 6 3/4"
DRAWER 5/4 STATESMAN N/A

DRAWER FRONT


OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR324-10	3/8"
RAILS	MP123-57	2 1/4"
STILES	MP123-57	2 1/4"
APPLIED MOLDING	N/A	

DOOR


OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR324-10	3/8"
RAILS	MP123-76	3"
STILES	MP123-76	3"
APPLIED MOLDING	N/A	

4-26 Elite series
conrad doorstyle

CONRAD-33



DRAWER FRONT
[UPCHARGE SHOWN]



DOOR


DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP643-57	
STILES	SR100	
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
4-INCH WIDE RAILS
3-INCH WIDE STILES

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOAT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES


PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS


DOOR 9" X 11"
DRAWER SLAB 9" X 6 3/4"
DRAWER 5-PIECE 9" X 6 3/4"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP643-102	
STILES	SR100	
APPLIED MOLDING	N/A	




DRAWER FRONT
[UPCHARGE SHOWN]




DOOR

SHOWN WITH OVERTURE C FRAME, 5-QUARTER STATESMEN; SIDE PROFILE SHOWN WITH OVERTURE A FRAME

DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
DRAWER STYLE	RPB302-38	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS

MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

AVAILABLE FRAME: OVERTURE C ONLY

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19


MINIMUM REQUIREMENTS

DOOR 9" X 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 6" X 5 1/16"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE		
PANEL PROFILE	PR302	
RAILS	SR102	
STILES	SR102	
APPLIED MOLDING	N/A	

4-28 Elite series
cresta [french miter] doorstyle - mdf center panel



DRAWER FRONT




DOOR

DRAWER FRONT OPTIONS




SLAB [UPCHARGE]



3-PIECE [STANDARD]



5-PIECE [UPCHARGE]



5/4 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP681-57	
STILES	MP681-76	
APPLIED MOULDING		

CONSTRUCTION

3/4-INCH THICK MDF CENTER PANEL
3/4-INCH THICK WOOD STILES AND RAILS
3-INCH WIDE STILE AND RAILS

FRONT WILL ACCEPT DOOR ADJUSTERS

CENTER PANEL

3-INCH WIDE STILES

OPTIONS

FULL OVERLAY 1/4" REVEAL TOP
FULL OVERLAY 1/8" REVEAL TOP
SEGUE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19
NATURE'S OWN IS STANDARD.



MINIMUM REQUIREMENTS

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP681-76	
STILES	MP681-76	
APPLIED MOULDING		

Elite series 4-29
del rio [french miter] doorstyle - mdf center panel


DEL RIO


DRAWER FRONT OPTIONS




SLAB [UPCHARGE]



3-PIECE [UPCHARGE]







5-PIECE [STANDARD]



5/4 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP668-57	
STILES	MP668-76	
APPLIED MOULDING		

CONSTRUCTION

3/4-INCH THICK MDF CENTER PANEL
3/4-INCH THICK WOOD STILES AND RAILS
3-INCH WIDE STILE AND RAILS

FRONT WILL ACCEPT DOOR ADJUSTERS

CENTER PANEL

3-INCH WIDE STILES

OPTIONS

FULL OVERLAY 1/4" REVEAL TOP
FULL OVERLAY 1/8" REVEAL TOP
SEGUE

EDGE TREATMENTS

WOOD SPECIES





PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19
NATURE'S OWN IS STANDARD.


MINIMUM REQUIREMENTS

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP681-76	
STILES	MP681-76	
APPLIED MOULDING		

4-30 Elite series

cresta [french miter] doorstyle - mdf center panel



DRAWER FRONT
[UPCHARGE SHOWN]



DOOR

DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	N/A	
DRAWER STYLE	1366	
PANEL PROFILE	N/A	
RAILS	MP721-57	
STILES	MP721-57	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED CORNER
5/8-INCH RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3- INCH WIDE STILE AND RAILS
FIVE-PIECE DRAWER FRONT:
2 1/4- INCH WIDE RAILS
2 1/4- INCH WIDE STILES
CENTER PANEL
SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS



DOOR	12" X 12"
DRAWER SLAB	N/A
DRAWER 3-PIECE	N/A
DRAWER 5-PIECE	12" X 6 3/4"
DRAWER 5/4 STATESMAN	9" X 6 3/4"

DOOR


OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR302	
RAILS	MP721-76	
STILES	MP721-76	
APPLIED MOLDING	N/A	

Elite series 4-31
del rio [french miter] doorstyle - mdf center panel

HOUGHTON-33




DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]






5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	N/A	
RAILS [3-PIECE] UPCHARGE	SR100	
STILES [3-PIECE] UPCHARGE	SR100	
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
4 1/2-INCH WIDE STILE AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOAT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08





FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19


MINIMUM REQUIREMENTS

DOOR 11 1/2" X 11 1/2"
DRAWER SLAB 9" X 6 3/4"
DRAWER 3-PIECE 12" X 6 3/4"
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	N/A	

4-32 Elite series
juilliard doorstyle



DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR324-10	
RAILS	MP760-57	
STILES	MP760-57	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED CORNER
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILE AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES


PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS


DOOR 11" X 11"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 6 3/4"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR303-32	
RAILS	MP760-76	
STILES	MP760-76	
APPLIED MOLDING	N/A	



DRAWER FRONT



DOOR

DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	N/A	
DRAWER STYLE	58SQ	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	387	

CONSTRUCTION

INSET
3/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOULDING

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

DOOR

OUTSIDE EDGE PROFILE	D5T	
PANEL PROFILE	RVSCP400	
RAILS	SR101	
STILES	SR101	
APPLIED MOLDING	387	

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS



FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS


MINIMUM REQUIREMENTS

DOOR	9" X 9"
DRAWER SLAB	6" X 5 1/16"
DRAWER 3-PIECE	N/A
DRAWER 5-PIECE	N/A
DRAWER 5/4 STATESMAN	N/A

4-34 Elite series
kincaid doorstyle



DRAWER FRONT
[UPCHARGE SHOWN]




DOOR

SHOWN WITH OVERTURE B FRAME, STANDARD SLAB DRAWER FRONT; SIDE PROFILE SHOWN WITH 5-PIECE DRAWER FRONT, OVERTURE A FRAME


DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR301	
RAILS	SR102	
STILES	SR102	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

FRAME DOORS AVAILABLE



ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

MINIMUM REQUIREMENTS


DOOR 8" X 8"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 8" X 5 1/16"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR301	
RAILS	SR102	
STILES	SR102	
APPLIED MOLDING	N/A	



DRAWER FRONT



DOOR

SHOWN WITH OVERTURE E FRAME; SIDE PROFILE SHOWN AS FULL OVERLAY


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

INSET
3/4-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF MAINSCOT
PANELS

AVAILABLE FRAMES: OVERTURE A,
OVERTURE B, OVERTURE C, OVER-
TURE D, OVERTURE E

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 11" X 11"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 5 1/16"
DRAWER 5/4 STATESMAN N/A


DRAWER FRONT

OUTSIDE EDGE PROFILE	D102	
PANEL PROFILE	PR324-10	
RAILS	SR124	
STILES	SR124	
APPLIED MOLDING	N/A	


DOOR

OUTSIDE EDGE PROFILE	D70	
PANEL PROFILE	PR322-38	
RAILS	SR124	
STILES	SR124	
APPLIED MOLDING	N/A	


4-36 Elite series
manor [french miter] doorstyle - mdf center panel




DRAWER FRONT OPTIONS




SLAB [UPCHARGE]



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP604-57	
STILES	MP604-76	
APPLIED MOULDING		

CONSTRUCTION

3/4-INCH THICK MDF CENTER PANEL
3/4-INCH THICK WOOD STILES AND RAILS
3-INCH WIDE STILE AND RAILS

FRONT WILL ACCEPT DOOR ADJUSTERS

CENTER PANEL

3-INCH WIDE STILES

OPTIONS

FULL OVERLAY 1/4" REVEAL TOP
FULL OVERLAY 1/8" REVEAL TOP
SEGUE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19
NATURE'S OWN IS STANDARD.

MINIMUM REQUIREMENTS

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP604-76	
STILES	MP604-76	
APPLIED MOULDING		

NOTES


4-38 Elite series
marymount doorstyle



SHOWN WITH INSET FRAME D



DRAWER FRONT




DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D89	
PANEL PROFILE	PR324-10	
RAILS	SR107	
STILES	SR107	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

FRAME DOORS AVAILABLE



ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

MINIMUM REQUIREMENTS


DOOR 11" X 11"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 5 1/16"
DRAWER 5/4 STATESMAN N/A

DOOR


OUTSIDE EDGE PROFILE	D89	
PANEL PROFILE	PR322	
RAILS	SR107	
STILES	SR107	
APPLIED MOLDING	N/A	




DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3 7/16-INCH WIDE STILES AND RAILS
APPLIED MOLDING

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 11 1/2" X 11 1/2"
DRAWER SLAB 8" X 6 3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 11 1/2" X 6 3/4"
DRAWER 5/4 STATESMAN N/A

DRAWER FRONT


OUTSIDE EDGE PROFILE	D33	3/4"
PANEL PROFILE	PR320	3/8"
RAILS	SR136	1 11/16"
STILES	SR136	3 7/16"
APPLIED MOLDING	1280	5/16"

DOOR


OUTSIDE EDGE PROFILE	D33	3/4"
PANEL PROFILE	PR320	3/8"
RAILS	SR136	3 7/16"
STILES	SR136	3 7/16"
APPLIED MOLDING	1280	5/16"

4-40 Elite series
montana doorstyle


MONTANA-41




DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D41	
PANEL PROFILE	PR305-19	
RAILS	SR54	
STILES	SR100	
APPLIED MOLDING	N/A	

CONSTRUCTION

MORTISE AND TENON JOINTS
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES
3 5/8-INCH WIDE RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19


MINIMUM REQUIREMENTS

DOOR 9 1/2" X 10 1/4"
DRAWER SLAB 8" X 6 3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9 1/2" X 6 3/4"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D41	
PANEL PROFILE	PR305-32	
RAILS	SR54	
STILES	SR100	
APPLIED MOLDING	N/A	

ODESSA-38



DRAWER FRONT




DOOR


DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]





5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D38	
DRAWER STYLE	345Q	
PANEL PROFILE	N/A	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED CORNER
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS
FIVE-PIECE DRAWER FRONT:
2 1/4- INCH WIDE RAILS
2 1/4- INCH WIDE STILES

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

MAINSICOAT NOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08





FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19


MINIMUM REQUIREMENTS

DOOR 10" X 10"
DRAWER SLAB 8" X 6 3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 10" X 6 3/4"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D38	
PANEL PROFILE	PR300	
RAILS	MP604-T6	
STILES	MP604-T6	
APPLIED MOLDING	N/A	

4-42 Elite series
oslo doorstyle




DRAWER FRONT




DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR324-10	
RAILS	MP722	
STILES	MP722	
APPLIED MOLDING	N/A	

CONSTRUCTION

MITERED
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

OPTIONS


WAINSCOT NOT AVAILABLE

MINIMUM REQUIREMENTS

DOOR 9" X 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 6-3/4"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR324-10	
RAILS	MP722	
STILES	MP722	
APPLIED MOLDING	N/A	




DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	1401/D1	
PANEL PROFILE	1/4" PL	
RAILS	SR100	
STILES	SR100 modified	
APPLIED MOLDING	N/A	

CONSTRUCTION

1/4-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES
2 1/4-INCH WIDE RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT NOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19


MINIMUM REQUIREMENTS

DOOR 7 1/2" x 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 7 1/2" x 6 3/4"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	1401/D1	
PANEL PROFILE	1/4" PL	
RAILS	SR100	
STILES	SR100 modified	
APPLIED MOLDING	N/A	

4-44 Elite series
pasadena doorstyle



DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

DRWR STYLE AND PROFILE	1401/D7	
PANEL PROFILE	1/4" PL	
RAILS	PASADENA 2 1/4"	
STILES	PASADENA 3"	
APPLIED MOLDING	N/A	

CONSTRUCTION

1/4-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK RAILS
11/16-INCH THICK STILES
3-INCH WIDE STILES AND RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE
WAINSCOT AVAILABLE

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS


DOOR 9" X 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 6 3/4"
DRAWER 5/4 STATESMAN N/A

DOOR


DOOR STYLE AND PROFILE	1401/D7	
PANEL PROFILE	1/4" PL	
RAILS	PASADENA 3"	
STILES	PASADENA 3"	
APPLIED MOLDING	N/A	

Elite series 4-45
plaze doorstyle

PLAZA



DRAWER FRONT
[UPCHARGE SHOWN]



DOOR


DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

MORTISE AND TENON JOINTS
9/16-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

MAINSICOAT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

N/A

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 9" X 9"
DRAWER SLAB 9" X 6 3/4"
DRAWER 3-PIECE 9" X 6 3/4"
DRAWER 5-PIECE 9" X 6 3/4"
DRAWER 5/4 STATESMAN N/A



DRAWER FRONT

OUTSIDE EDGE PROFILE [STILES]	D40	
OUTSIDE EDGE PROFILE [RAILS]	D57	
PANEL PROFILE	FR324-10	
RAILS	SR118-D57	
STILES	SR118-D40	
APPLIED MOLDING	N/A	


DOOR

OUTSIDE EDGE PROFILE [STILES]	D40	
OUTSIDE EDGE PROFILE [RAILS]	D57	
PANEL PROFILE	FR324-10	
RAILS	SR118-D57	
STILES	SR118-D40	
APPLIED MOLDING	N/A	

4-46 Elite series
pleasanton doorstyle



DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

DRWR STYLE AND PROFILE	1401/D7	
PANEL PROFILE	1/4" PL	
RAILS	SR100	
STILES	MP646-T6	
APPLIED MOLDING	N/A	

CONSTRUCTION

1/4-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE
WAINSCOT AVAILABLE:

EDGE TREATMENTS

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

FINISHES

MINIMUM REQUIREMENTS


DOOR 9" x 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" x 6 3/4"
DRAWER 5/4 STATESMAN N/A

DOOR


DOOR STYLE AND PROFILE	1401/D7	
PANEL PROFILE	1/4" PL	
RAILS	SR100	
STILES	MP646-T6	
APPLIED MOLDING	N/A	



SHOWN WITH INSET FRAME C



DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

INSET
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOULDING

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

AVAILABLE FRAMES: OVERTURE A,
OVERTURE B, OVERTURE C, OVER-
TURE D, OVERTURE E

EDGE TREATMENTS

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

FINISHES

MINIMUM REQUIREMENTS

DOOR 9" X 9"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 5 1/16"
DRAWER 5/4 STATESMAN N/A


DRAWER FRONT

OUTSIDE EDGE PROFILE	D57	
PANEL PROFILE	RVSCP400	
RAILS	SR101	
STILES	SR101	
APPLIED MOULDING	387	


DOOR

OUTSIDE EDGE PROFILE	D57	
PANEL PROFILE	RVSCP400	
RAILS	SR101	
STILES	SR101	
APPLIED MOULDING	387	

4-48 Elite series
pullman doorstyle




DRAWER FRONT




DOOR

SHOWN WITH OVERTURE A FRAME


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR324-10	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	1646	

CONSTRUCTION

INSET
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOULDING

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF MAINSCOT
PANELS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES


PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS


DOOR 9 1/2" X 9 1/2"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 6" X 5 1/16"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	N/A	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	1625	



DRAWER FRONT



DOOR

SHOWN WITH SPECIAL 5-QUARTER FRAME


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]







5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	FR324-10	
RAILS	SR109	
STILES	SR109	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
3/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08





CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

DOOR

OUTSIDE EDGE PROFILE	D57	
PANEL PROFILE	FR321	
RAILS	SR109	
STILES	SR109	
APPLIED MOLDING	N/A	

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

MINIMUM REQUIREMENTS

DOOR	11" X 11"
DRAWER SLAB	N/A
DRAWER 3-PIECE	N/A
DRAWER 5-PIECE	9" X 5 1/16"
DRAWER 5/4 STATESMAN	N/A


AVAILABLE FRAMES: OVERTURE A,
OVERTURE B, OVERTURE C, OVERTURE D, OVERTURE E

4-50 Elite series
ramsey doorstyle


RAMSEY-33



SHOWN WITH OVERTURE A FRAME



DRAWER FRONT



DOOR

DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
DRAWER STYLE	345Q	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES
3-INCH WIDE STILES AND RAILS
APPLIED MOULDING

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

MAINSOAT AVAILABLE
INSET: ORDER FACE FRAME AND
DOORS TO USE IN PLACE OF MAIN-
SCOT PANELS

AVAILABLE FRAMES: OVERTURE A,
OVERTURE B, OVERTURE C, OVER-
TURE F

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 9 1/2" X 9 1/2"
DRAWER SLAB 6" X 5 1/16"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN N/A

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	RVSCP400	
RAILS	SR117	
STILES	SR117	
APPLIED MOLDING	1722	

rio verde [french miter] doorstyle - mdf center panel


RIO VERDE





DRAWER FRONT OPTIONS




SLAB [UPCHARGE]



3-PIECE [STANDARD]







5-PIECE [UPCHARGE]



5/4 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP659-57	
STILES	MP659-76	
APPLIED MOULDING		

CONSTRUCTION

3/4-INCH THICK MDF CENTER PANEL
 3/4-INCH THICK WOOD STILES AND RAILS
 3-INCH WIDE STILE AND RAILS

FRONT WILL ACCEPT DOOR ADJUSTERS

CENTER PANEL

3-INCH WIDE STILES

OPTIONS

FULL OVERLAY 1/4" REVEAL TOP
 FULL OVERLAY 1/8" REVEAL TOP
 SEGUE

EDGE TREATMENTS

WOOD SPECIES





PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19
 NATURE'S OWN IS STANDARD.

MINIMUM REQUIREMENTS


DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	MP659-76	
STILES	MP659-76	
APPLIED MOULDING		

4-52 Elite series
notes

NOTES

SCHAUMBERG-48




DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D48	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	102	

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOLDING

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS



DOOR 8" X 8"
DRAWER SLAB 8" X 6 3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 8" X 6 3/4"
DRAWER 5/4 STATESMAN N/A

DOOR


OUTSIDE EDGE PROFILE	D48	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	102	

4-54 Elite series
slater doorstyle

SLATER-33



DRAWER FRONT
[UPCHARGE SHOWN]



DOOR


DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR104	
STILES	SR104	
APPLIED MOLDING	1174	
APPLIED MOLDING	1175	

CONSTRUCTION

MORTISE AND TENON JOINTS
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS
APPLIED MOLDING

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

WAINSCOAT AVAILABLE
FRAME DOORS AVAILABLE


MINIMUM REQUIREMENTS

DOOR 9" X 9"
DRAWER SLAB 8" X 6 3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 6 3/4"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR104	
STILES	SR104	
APPLIED MOLDING	1174	
APPLIED MOLDING	1175	

STANFORD-25



DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

FULL OVERLAY
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES
2 1/4-INCH WIDE STILES AND RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08






FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19






MINIMUM REQUIREMENTS

DOOR 8" X 8"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 8" X 6-3/4"
DRAWER 5/4 STATESMAN N/A

DRAWER FRONT


OUTSIDE EDGE PROFILE	D25	
PANEL PROFILE	PR305	
RAILS	SR107	
STILES	SR107	
APPLIED MOLDING	808	

DOOR


OUTSIDE EDGE PROFILE	D25	
PANEL PROFILE	PR305	
RAILS	SR107	
STILES	SR107	
APPLIED MOLDING	808	

4-56 Elite series
stockton doorstyle

STOCKTON-33



DRAWER FRONT



DOOR

[SPECIAL (UPCHARGE) STAINLESS STEEL DRAWER FRONT SHOWN]

DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

FULL OVERLAY
3/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES
3 3/4-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE?

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 10-1/2" x 8"
DRAWER SLAB 8" x 6-3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN N/A

DRAWER FRONT


OUTSIDE EDGE PROFILE	D33	
DRAWER STYLE	345Q	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	RVSCP400	
RAILS	SR100	
STILES	SR111	
APPLIED MOLDING	N/A	

Elite series 4-57 summit doorstyle

SUMMIT-33



DRAWER FRONT



DOOR

DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

FULL OVERLAY
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES
3-INCH WIDE STILES AND RAILS
WITH 1/4-INCH BOTTOM RAIL
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08


FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19





MINIMUM REQUIREMENTS

DOOR 8" X 8"
DRAWER SLAB 8" X 6-3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN N/A


DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
DRAWER STYLE	345Q	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

DOOR

8	OUTSIDE EDGE PROFILE	D33	
	PANEL PROFILE	RVSCP400	
	RAILS	SR100	
	4-1/4" BOTTOM RAIL		
	STILES	SR100	
	APPLIED MOLDING	N/A	

4-58 Elite series
telluride doorstyle




DRAWER FRONT OPTIONS



SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	1044	

CONSTRUCTION

3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2-1/4-INCH WIDE STILES AND RAILS
APPLIED MOULDING
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE

RUSTIC NAILS CAN BE ADDED
TO THIS DOOR STYLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES



PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS


DOOR 11 1/2" X 11 1/2"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 11-1/2" X 6-3/4"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	1044	



DRAWER FRONT
[UPCHARGE SHOWN]



DOOR

SHOWN WITH OVERTURE A FRAME; SIDE PROFILE SHOWN AS FULL OVERLAY


DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	RVSCP400	
RAILS	SR132	
STILES	SR132	
APPLIED MOLDING	N/A	

CONSTRUCTION

3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2-3/4-INCH WIDE STILES AND RAILS
INSET

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE
WAINSCOT AVAILABLE

AVAILBLE FRAMES: OVERTURE A,
OVERTURE B, OVERTURE C

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS


DOOR 8-1/2" x 8-1/2"
DRAWER SLAB 8-1/2" x 6-3/4"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 8-1/2" x 6-3/4"
DRAWER 5/4 STATESMAN N/A

DOOR


OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	RVSCP400	
RAILS	SR132	
STILES	SR132	
APPLIED MOLDING	N/A	

4-60 Elite series
tuscan doorstyle

TUSCANY-33



DRAWER FRONT




DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

FULL OVERLAY
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3 7/16-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

WAINSCOT AVAILABLE
FRAME DOORS AVAILABLE

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 11" X 11"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 11" X 6-3/4"
DRAWER 5/4 STATESMAN N/A


DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR136	
STILES	SR136	
APPLIED MOLDING	1280	


DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR324-10	
RAILS	SR136	
STILES	SR136	
APPLIED MOLDING	1280	

Elite series 4-61 vision doorstyle



DRAWER FRONT



DOOR

DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D33	
DRAWER STYLE	345Q	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	922	

CONSTRUCTION

INSET
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS
APPLIED MOULDING

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME
AND DOORS TO USE IN PLACE
OF MAINSCOT PANELS

MAINSCOT AVAILABLE IN
FULL OVERLAY


MINIMUM REQUIREMENTS

DOOR 11" X 11"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" X 5 1/16"
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR203	
RAILS	SR105	
STILES	SR105	
APPLIED MOLDING	922	

4-62 Elite series
waldorf doorstyle



DRAWER FRONT



DOOR

SHOWN HERE WITH OVERTURE B FRAME, STATESMEN DRAWER FRONT; SIDE PROFILE SHOWN WITH SLAB DRAWER FRONT

DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
DRAWER STYLE	34SQ	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3 1/2-INCH WIDE STILES AND RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19


MINIMUM REQUIREMENTS

DOOR 12" X 12"
DRAWER SLAB 6" X 5 1/16"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D57	
PANEL PROFILE	PR300	
RAILS	SR121M	
STILES	SR121M	
APPLIED MOLDING	N/A	

Elite series 4-63
waterford doorstyle




DRAWER FRONT



DOOR

SHOWN HERE WITH OVERTURE B FRAME, STATESMEN DRAWER FRONT; SIDE PROFILE SHOWN WITH SLAB DRAWER FRONT


DRAWER FRONT OPTIONS




SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

CONSTRUCTION

INSET
5/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR	8" X 8"
DRAWER SLAB	6" X 5 1/16"
DRAWER 3-PIECE	N/A
DRAWER 5-PIECE	N/A
DRAWER 5/4 STATESMAN	N/A

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
DRAWER STYLE	34SQ	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	


DOOR

OUTSIDE EDGE PROFILE	D57	
PANEL PROFILE	PR209	
RAILS	PR302	
STILES	SR102	
APPLIED MOLDING	N/A	


4-64 Elite series
wellston doorstyle



SHOWN WITH OVERTURE FRAME A



DRAWER FRONT



DOOR

DRAWER FRONT OPTIONS



SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
DRAWER STYLE	34SQ	
RAILS	N/A	
STILES	N/A	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
3/8-INCH THICK FLAT CENTER PANEL
3/4-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS
MORTISE & TENON

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF MAINSCOT
PANELS

EDGE TREATMENTS

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 8" X 8"
DRAWER SLAB 6" X 5 1/16"
DRAWER 3-PIECE N/A
DRAWER 5-PIECE N/A
DRAWER 5/4 STATESMAN N/A


DOOR

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	FR324-10	
RAILS	SR109	
STILES	SR109	
APPLIED MOLDING	N/A	


Elite series 4-65 yosemite doorstyle



SHOWN WITH OVERTURE FRAME A



DRAWER FRONT



DOOR


DRAWER FRONT OPTIONS




SLAB



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



5/4 STATESMEN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	1044	

CONSTRUCTION

INSET
3/8-INCH THICK RAISED CENTER PANEL
3/4-INCH THICK STILES AND RAILS
2 1/4-INCH WIDE STILES AND RAILS
APPLIED MOULDING

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

ORDER FACE FRAME AND DOORS
TO USE IN PLACE OF WAINSCOT
PANELS

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 9 1/2" X 9 1/2"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9 1/2" X 5 1/16"
DRAWER 5/4 STATESMAN N/A

DOOR

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR324-10	
RAILS	SR100	
STILES	SR100	
APPLIED MOLDING	1044	

4-66 Elite series mullion information

IMPORTANT: READ CAREFULLY when ordering a mullion door.

LP001

All lites will be evenly spaced, unless otherwise noted.

Additional design charges may apply for customer specified lite pattern configurations or placement.

LP100, LP105, LP109, LP112, LP113, LP115, LP116, LP118 LP121, LP122, LP125, LP126, LP127

Minimum width for a frame with a Mullion Lite Pattern Option is 12 inches. *Minimum is based on 2 1/4-inch stiles and rails.*

Available with *most* Traditional GRF profiles with matching mullion stock options and *are not available with Mitered* GRF.

Limitations apply to these mullion patterns and Applied Moulding.

A CAD drawing must be approved, prior to manufacturing the product.

LP105

Height must be equal to or greater than the width to allow one pattern, or twice the width for a pattern on top and bottom.

LP109

Specify the horizontal mullion strip placement from the top of the door to the top of the mullion strip.

Additional design charges may apply for customer specified lite pattern configurations or placements that vary from designs shown.

LP112

Minimum height needs to be two times the width of the door.

Available with *most* Traditional GRF profiles with matching mullion stock options. Limitations apply to Mitered GRF profiles.

Limitations apply to this mullion pattern and Applied Moulding.

A CAD drawing must be approved, prior to manufacturing the product.

LP118

Specify the Width and Height of the corner lites. Minimum size for corner lites is 1-inch x 1-inch.

Additional design charges may apply for customer specified lite pattern configurations or placements.

LP121, LP122

Minimum width for a frame with a Mullion Lite Pattern Option is 12-inches. *Minimum is based on 2 1/4-inch stiles and rails.*

Corner lites must be specified at the widest and narrowest; this determines the radius of the curved piece. Minimum at narrowest is 2-inches.

Available with *most* Traditional GRF profiles with matching mullion stock options. Limitations apply to Mitered GRF profiles.

Limitations apply to these mullion patterns and Applied Moulding.

LP126

Minimum width for a frame with a Mullion Lite Pattern Option is 12-inches. *Minimum is based on 2 1/4-inch stiles and rails.*

Diamond portion is a fixed size at 2-inches x 2-inches.

Height must be at least two times the width of the door.

Available with most Traditional GRF profiles with matching mullion stock options.

Limitations apply to Mitered GRF profiles.

Limitations apply to these million patterns and Applied Moulding.

A CAD drawing must be approved, prior to manufacturing the product.

LP127

Minimum width for a frame with a Mullion Lite Pattern Option is 12-inches. *Minimum is based on 2 1/4-inch stiles and rails.*

Height of door must be greater than the width.

Available with most Traditional GRF profiles with matching mullion stock options.


Limitations apply to Mitered GRF profiles.

Limitations apply to these million patterns and Applied Moulding.


A CAD drawing must be approved, prior to manufacturing the product.

Elite series 4-67
4-,6-,8-,5-,7-lite mullion


YOU SHOULD KNOW: It is imperative that you pay attention to the design parameters on page 4-66 when planning your mullion door. Be sure to check availability and pricing on these doors to avoid any problems.




FRAME DOOR




FRAME DOOR
4 LITES
LP001




FRAME DOOR
6 LITES
LP001



FRAME DOOR
8 LITES
LP001




FRAME DOOR
5 LITES
LP100




FRAME DOOR
7 LITES
LP105

4-68 Elite series
arched mullion


YOU SHOULD KNOW: It is imperative that you pay attention to the design parameters on page 4-66 when planning your mullion door. Be sure to check availability and pricing on these doors to avoid any problems.




FRAME DOOR
12 LITES
LP105




FRAME DOOR
4 LITES
LP109




FRAME DOOR
7 LITES
LP112



FRAME DOOR
5 LITES
LP113




FRAME DOOR
12 LITES
LP115



FRAME DOOR
5 LITES
LP116


Elite series 4-69 curved mullion

YOU SHOULD KNOW: It is imperative that you pay attention to the design parameters on page 4-66 when planning your mullion door. Be sure to check availability and pricing on these doors to avoid any problems.




FRAME DOOR

9 LITES
LP118




FRAME DOOR

4 LITES
LP121




FRAME DOOR

6 LITES
LP122




FRAME DOOR

5 LITES
LP125



FRAME DOOR

11 LITES
LP126



FRAME DOOR

4 LITES
LP127

4-70 Elite series
notes

NOTES

NOTES

4-72 Elite series designer glass patterns




NO DESIGNER GLASS

Light [shelf lighting used]



DESIGNER GLASS

DS GROUND PATTERN [opaque]
DG-05 Frosted Opaque Glass



DESIGNER GLASS

CURACO PATTERN [obscure]
DG-10 Corded Clear Art Glass



NO DESIGNER GLASS

No Light [Shelf is unlit]



DESIGNER GLASS

CRYSTAL SEEDY PATTERN
DG-11 Seeded Clear Art Glass




DESIGNER GLASS

CLEAR GNA PATTERN
DG-13 Antique Clear Art Glass



DESIGNER GLASS

CLEAR HAMMERED PATTERN
DG-14 [obscure]



DESIGNER GLASS

CLEAR GLUECHIP PATTERN [obscure]
DG-15 Frosted with Leaf Pattern

Elite series 4-73 designer glass patterns



DESIGNER GLASS
GREY DS PATTERN
DG-26 Light Gray Tinted Glass




DESIGNER GLASS
CLEAR WAVE PATTERN
DG-43 Clear Water Pattern [obscure]



DESIGNER GLASS
RIVOLETTA PATTERN
DG-45 Antique with Linear Pattern




DESIGNER GLASS
CLEAR BAROQUE PATTERN
DG-58 Wind Blown Pattern [obscure]



DESIGNER GLASS
CLEAR ENGLISH REEDED PATTERN
DG-60 1/2-inch Reeded Pattern [obscure]



DESIGNER GLASS
MIRROR PATTERN
DG-MIR Mirror



DESIGNER GLASS
CLEAR DS PATTERN
DG-CLDS Clear Glass

4-74 Elite series wire mesh grille design patterns

Frame Doors with Wire Mesh Grille Design Patterns

Available in the 9 woven diamond patterns and the three finishes shown below. Some door sizes may need to be split with a center rail or center stile or constructed as two doors.



PATTERN #121



PATTERN #212



PATTERN #303



PATTERN #301



PATTERN #321



PATTERN #322



PATTERN #R301



PATTERN #R321



PATTERN #R322

Door shown at 12-in W x 24-in H, 3-in Stiles and Rails
Wire Mesh Pattern #212 in Oil Rubbed Bronze



Available in three finishes:



Satin Steel



Oil Rubbed Bronze



Antique Brass


WIRE MESH GRILLE SPECIFICATIONS				
PATTERN	WIRE TYPE	WIRE SIZE	WIRE TO WIRE SPACING	CRIMP
#121	round	1/16-inch	3/4-inch	double
#212	square	1/16-inch x 1/16-inch	5/16-inch & 1-1/8-inch	press
#301	flat wire-face/reeded wire-back	1/16-inch x 1/8-inch	3/4-inch	single
#393	caned	1/16-inch x 1/8-inch	1-1/2-inch diagonal & 1-inch horizontal	single
#321	flat wire-face/reeded wire-back	1/16-inch x 1/8-inch	1-1/4-inch	double
#322	flat wire-face/reeded wire-back	1/16-inch x 1/8-inch	1/2-inch & 1-1/2-inch	double
#R301	reeded wire-face/flat wire-back	1/16-inch x 1/8-inch	3/4-inch	single
#R321	reeded wire-face/flat wire-back	1/16-inch x 1/8-inch	1-1/4-inch	double
#R322	reeded wire-face/flat wire-back	1/16-inch x 1/8-inch	1/2-inch & 1-1/2-inch	double

Elite series 4-75 open louvered doors

Louvered Doors

Ovation offers open louvered door styles (“true louvers”) with 2.5mm spacing between louvers.


The manufacturing process for louvered cabinet doors guarantees a rattle-free door of superior quality that will last for generations to come.




OPEN LOUVERED
FULL LOUVER
Style 10




OPEN LOUVERED
FULL LOUVER 50/50 SPLIT
Style 8000



OPEN LOUVERED
LOUVER TOP - RP BOTTOM
Style 8000




OPEN LOUVERED
LOUVER TOP - FP BOTTOM
Style 4044



OPEN LOUVERED
FULL LOUVER 60/40 SPLIT
Style 1000



OPEN LOUVERED
LOUVER TOP - RP BOTTOM
Style 1000




OPEN LOUVERED
LOUVER TOP - FP BOTTOM
Style 4043

OPEN LOUVER DOORS	
Thickness	Available in 3/4-inch, 1-inch, 1-1/4-inch, 1-1/2-inch, and 2-inch
Top & Bottom Rails	May need adjustment in size to accommodate full louver placement within an opening.
Open Louver Spacing	Spacing from louver to louver is 3/32-inch or 2.5mm. [Spacing at top and bottom varies with the size of the louver.]
Stile & Rail Profile	Only available with the SR100 stile and rail profile.
Double Panel Doors	To order double panel doors, specify which section you prefer to have the louvers installed, top section, bottom section or both, with a 50/50 or 60/40 split. If you prefer a custom center rail placement, specify the dimension from the top of the door to the top of the center rail.
60-40 Split	Please note that if you plan to line up louvered 60/40 split doors with non-louvered 60/40 split doors, the 60/40 split on the louvered doors could vary slightly due to louver size / placement.
Louvered Slats	Available in 1-inch, 1-1/2-inch, 2-inch and 2-1/2-inch widths.


4-76 Elite series combination frame and panel doors

COMBINATION FRAME AND PANEL DOORS	
Center Panel	These doorstyles can be ordered with any combination of Raised panel, Flat panel or Framed opening.
Style 1616 and 4016	Mullions or a Lite Pattern are optional in the Frame Only section
	Any "Traditional," "Old World," or "Mitered" stile and rail profile can be used, some profiles may not be compatible for use with mullions or Lite Pattern options
	This doorstyle is available with shaped rails.
Style 1617 and 4017	Available with only the SR100, MP612-76, MP612-57, MP612-38, MP726-76, MP726-56 and MP726-38 Stile and Rail profiles.
	This doorstyle is not available with shaped rails.
	Available with 3/8-inch (recessed) or 3/4-inch (flush) thick straight slats.
	Slat width 1/2-inch.
	The number of slats and spacing is determined by the door width and the space available.
Style 1618 and 4018	Available with only the SR100, MP612 Family, SR104, MP624 Family, SR123 and MP628 Family
	This doorstyle is not available with shaped rails.
	Available with 3/8-inch dowels only.
	The number of dowels and spacing is determined by the door width and the space available.



Elite series 4-77 combination frame and panel doors




Style: 1616






Style: 4016




Style: 1617





Style: 4017



Style: 1618




Style: 4018




4-78 Elite series curved products

CURVED PRODUCTS - CONCAVE/CONVEX



CURVING INWARDS LIKE THE INSIDE
OF A CIRCLE.

THE CHORD LENGTH OF A CONCAVE
PRODUCT WOULD BE MEASURED TO
THE BACK.



CURVING OUTWARDS LIKE THE
OUTSIDE OF A CIRCLE.

THE CHORD LENGTH OF A CONVEX
PRODUCT WOULD BE MEASURED TO
THE BACK.

AVAILABLE ONLY IN: ALDER, OAK, MAPLE, CHERRY, WALNUT AND MDF (PAINTABLE)

CURVED PRODUCTS ARE AVAILABLE WITH A VENEERED FLAT PANEL.

MAXIMUM HEIGHT FOR CABINETS IS 96-INCHES. MAXIMUM HEIGHT PER DOOR IS 48-INCHES

STANDARD STYLE & RAIL DIMENSIONS FOR DOORS/DRAWER FRONTS IS 2-1/4-INCHES.

MINIMUM SIZE FOR STILES/RAILS ON A CURVED PRODUCT IS 1-1/4-INCHES

AVAILABLE IN 3/4-INCHES AND 1-INCH THICKNESS.

GLASS BY OTHERS.

CURVED PRODUCTS - CONVEX

CONVEX PRODUCTS ARE AVAILABLE IN THESE SIZES ONLY [NO MODIFICATIONS]:

WALL CABINETS

WIDTH: 18", 21", 24", 27", 30", 33", 36"
HEIGHT: 24", 30", 36", 42"

BASE CABINETS

WIDTH: 18", 21", 24", 27", 30", 33", 36"
HEIGHT: 34.5"

TALL CABINETS


WIDTH: 12", 18", 24"
HEIGHT: 84", 90", 96"

AVAILABLE MOULDING LISTED WITH CABINETS.


FINISHED ENDS ARE BUILT FLUSH JOINT ONLY.

* 18" AND 21" CABINETS AVAILABLE WITH ONE DOOR ONLY.


BASE FULL HEIGHT
FULL-WIDTH DOOR




BASE FULL HEIGHT
BUTT DOORS




BASE (1) DRAWER
BUTT DOORS



BASE (4) DRAWERS



BASE (3) DRAWERS



4-80

Elite series

curved products, concave

CURVED PRODUCTS - CONCAVE

CONCAVE PRODUCTS ARE AVAILABLE IN THESE SIZES ONLY (NO MODIFICATIONS):

WALL CABINETS

WIDTH: 18", 24"
HEIGHT: 24", 30", 36", 42"

BASE CABINETS

WIDTH: 18", 21", 24", 27", 30", 33", 36"
HEIGHT: 34.5"


TALL CABINETS

WIDTH: 24"
HEIGHT: 84", 90", 96"


AVAILABLE MOULDING LISTED WITH CABINETS.

* 18" AND 21" CABINETS AVAILABLE WITH ONE DOOR ONLY.


BASE FULL HEIGHT
FULL-WIDTH DOOR




BASE FULL HEIGHT
BUTT DOORS




BASE (1) DRAWER
BUTT DOORS



BASE (4) DRAWERS







BASE (3) DRAWERS



Elite series 4-81 curved products, end panel shelves

CURVED PRODUCTS - CONVEX

FINISHED BACK



4-82 Elite series
notes

NOTES


5-quarter doorstyles

4-84 Elite series 5-quarter doorstyles

Drawer front options

1-3/8-INCH STATESMAN: DRAWER FRONT WILL HAVE AN OUTSIDE EDGE (STEP ONE) AND AN INSIDE PANEL RAISE (STEP TWO). THESE WILL ALWAYS MATCH THE DOOR STYLE WHEN IT IS RAISED PANEL. IF A FLAT PANEL DOOR IS BEING USED, THE DETAIL FOR STEP TWO WILL HAVE TO BE CHOSEN BY THE DEALER.

EXAMPLE:



Ovation has designed a limited number of door styles made from one-inch thick material that are meant to resemble an “old world” look with oversized stiles and rails on a door.

5-QUARTER INCH DOOR LIST and DRAWER OPTIONS					
door name	standard drawer front	optional 3-part drawer front	optional 5-part drawer front	optional 1 3/8-inch Statesman	upgraded drawer front shown
Arlington	5/4 slab		x	x	x
Beaumont	5/4 slab		x	x	
Foxboro	5/4 slab		x	x	x
Hopkins	5/4 slab		x	x	
Huntington	5/4 slab		x	x	
Munson	5/4 slab		x	x	x
Raleigh	5/4 slab		x	x	x

Hinge stiles

All Ovation 5-quarter doors are made with 1-inch thick stiles and rails and either a 5/8-inch thick raised panel center or a 3/8-inch thick solid reverse flat panel center. These doors are available with partial overlay hinging or as inset doors in frame group styles A, B, D, or E. All styles come with a Blum concealed cup hinge with 107 degree opening with Blum Soft Close feature.

Design considerations

When ordered with inset styling, the face of the **drawer front** will protrude beyond the face frame of the cabinet, while the stiles and rails of the door may be flush or may protrude. When ordered in partial overlay, both door and drawer front will extend the full 5/4-inch thickness beyond the face frame.

CAUTION: *Countertops may need to be adjusted in depth to 25-inches or greater. Reveals are 1/2-inch on all sides with the partial overlay hinge.*

!!Added clearance may be needed around corners and against a wall or deeper cabinet!!

Drawer front options

Accompanying these doors are a 5/4-inch Statesman slab drawer front with optional choices of a flat panel five-part drawer front or a 1-3/8-inch Statesman. [Please see individual door descriptions.]

Woods and finishes

All Ovation 5-quarter doors can be order in any solid wood and finish.


Mullion styles

Matching mullions are available with each door style. Mullion strip is 1/2-inch thick and will be flush with the face of the door.

4-86 Elite series
arlington 5-quarter doorstyle




PARTIAL OVERLAY STYLING HAS
A 1/2-INCH REVEAL ON TOP, BOTTOM,
SIDES, AND A 1/2-INCH REVEAL BE-
TWEEN DRAWER FRONTS AND DOORS.



DRAWER FRONT

OVERLAY EDGE SHOWN HERE
UPCHARGE FRONT SHOWN ON PICTURE




DOOR


OVERLAY EDGE SHOWN HERE

SHOWN WITH OVERTURE A FRAME, 5-PIECE INSET DRAWER FRONT


DRAWER FRONT OPTIONS




5/4 SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



1-3/8 STATESMAN [UPCHARGE]

CONSTRUCTION

INSET OR PARTIAL OVERLAY
3/8-INCH THICK REVERSE RAISED
CENTER PANEL
1-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME
AND DOORS TO USE IN PLACE
OF WAINSCOT PANELS

PARTIAL OVERLAY: WAINSCOT
AVAILABLE.

FRAME STYLES: OVERTURE A [shown],
OVERTURE B, OVERTURE F

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR	9" x 9"
DRAWER SLAB	N/A
DRAWER 3-PIECE	N/A
DRAWER 5-PIECE	9" x 5-1/16"
DRAWER 5/4 STATESMAN	9" x 5-1/16"

DRAWER FRONT

OUTSIDE EDGE PROFILE [INSET]	D7	
PANEL PROFILE	PR324-10	
RAILS	SR198	
STILES	SR198	
APPLIED MOLDING	N/A	


DOOR

OUTSIDE EDGE PROFILE	D7	
PANEL PROFILE	PR324-10	
RAILS	SR198	
STILES	SR198	
APPLIED MOLDING	N/A	

Elite series 4-87
beaumont 5-quarter doorstyles




SHOWN WITH OVERTURE B FRAME, STATESMEN DRAWER FRONT



PARTIAL OVERLAY STYLING HAS A 1/2-INCH REVEAL ON TOP, BOTTOM, SIDES, AND A 1/2-INCH REVEAL BETWEEN DRAWER FRONTS AND DOORS.

DRAWER FRONT
UPCHARGE FRONT SHOWN ON PICTURE




DOOR


DRAWER FRONT OPTIONS




5/4 SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



1-3/8 STATESMAN [UPCHARGE]

CONSTRUCTION

INSET OR PARTIAL OVERLAY
3/4"-INCH THICK RAISED CENTER PANEL
1-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME AND DOORS TO USE IN PLACE OF WAIN-SCOT PANELS.

PARTIAL OVERLAY: WAINSCOT AVAIL..

FRAME STYLES: OVERTURE A, OVERTURE B [shown], OVERTURE F

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 11" x 11"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" x 5-1/16"
DRAWER 5/4 STATESMAN 6" x 5-1/16"
INSET DRAWER FRONT 9" x 5-1/16"

DRAWER FRONT

OUTSIDE EDGE PROFILE [INSET]	D7	
DRAWER STYLE	306-32RPB	
RAILS	SR199	
STILES	SR199	
APPLIED MOLDING	N/A	


DOOR

OUTSIDE EDGE PROFILE [INSET]	D57	
PANEL PROFILE	PR306-32	
RAILS	SR199	
STILES	SR199	
APPLIED MOLDING	N/A	

4-88 Elite series
foxboro 5-quarter doorstyle




PARTIAL OVERLAY STYLING HAS
A 1/2-INCH REVEAL ON TOP, BOTTOM,
SIDES, AND A 1/2-INCH REVEAL BE-
TWEEN DRAWER FRONTS AND DOORS.



DRAWER FRONT

OVERLAY EDGE SHOWN HERE
UPCHARGE FRONT SHOWN ON PICTURE




DOOR


OVERLAY EDGE SHOWN HERE

SHOWN WITH OVERTURE A FRAME, 5-PIECE INSET DRAWER FRONT


DRAWER FRONT OPTIONS




5/4 SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



1-3/8 STATESMAN [UPCHARGE]

CONSTRUCTION

INSET OR PARTIAL OVERLAY
5/8-INCH THICK RAISED CENTER PANEL
1-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME AND
DOORS TO USE IN PLACE OF
WAINSCOT PANELS

PARTIAL OVERLAY: WAINSCOT
AVAILABLE.

FRAME STYLES: OVERTURE A,
OVERTURE B [shown], OVERTURE F

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 12" x 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" x 5-1/16"
DRAWER 5/4 STATESMAN 9" x 5-1/16"

DRAWER FRONT

OUTSIDE EDGE PROFILE [INSET]	D7	
DRAWER STYLE	10"H	
RAILS	SR197	
STILES	SR197	
APPLIED MOLDING		

DOOR

OUTSIDE EDGE PROFILE [INSET]	D57	
PANEL PROFILE	PR247	
RAILS	SR197	
STILES	SR197	
APPLIED MOLDING		


Elite series 4-89 hopkins 5-quarter doorstyle




PARTIAL OVERLAY STYLING HAS A 1/2-INCH REVEAL ON TOP, BOTTOM, SIDES, AND A 1/2-INCH REVEAL BETWEEN DRAWER FRONTS AND DOORS.



SHOWN WITH OVERTURE B FRAME




DRAWER FRONT
OVERLAY EDGE SHOWN HERE
UPCHARGE FRONT SHOWN ON PICTURE



DOOR
OVERLAY EDGE SHOWN HERE


DRAWER FRONT OPTIONS




5/4 SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



1-3/8 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D70	
PANEL PROFILE	PR322-38	
RAILS	SR196	
STILES	SR196	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET, PARTIAL OVERLAY
3/4 -INCH THICK RAISED CENTER PANEL
1-INCH THICK STILES AND RAILS
3 1/2-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME AND DOORS TO USE IN PLACE OF MAINSCOT PANELS

PARTIAL OVERLAY: MAINSCOT AVAILABLE.

MINIMUM REQUIREMENTS

DOOR 12" x 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" x 5-1/16"
DRAWER 5/4 STATESMAN 9" x 5-1/16"

DOOR



OUTSIDE EDGE PROFILE	D70	
PANEL PROFILE	PR322-38	
RAILS	SR196	
STILES	SR196	
APPLIED MOLDING	N/A	

4-90 Elite series
huntington 5-quarter doorstyle


HUNTINGTON




SHOWN WITH OVERTURE B FRAME, 1-3/8 STATESMEN




DRAWER FRONT OPTIONS




5/4 SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



1-3/8 STATESMAN [UPCHARGE]

DRAWER FRONT

OUTSIDE EDGE PROFILE	D70	
DRAWER STYLE	100SQ	
RAILS	SR197	
STILES	SR197	
APPLIED MOLDING	N/A	

CONSTRUCTION

INSET
3/4-INCH THICK RAISED CENTER PANEL
1-INCH THICK STILES AND RAILS
3 1/2-INCH WIDE STILES AND RAILS

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-14

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME AND DOORS TO USE IN PLACE OF WAINSCOT PANELS

PARTIAL OVERLAY: WAINSCOT AVAILABLE.

FRAME STYLES: OVERTURE A, OVERTURE B [shown], OVERTURE F

MINIMUM REQUIREMENTS

DOOR 12" x 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" x 5-1/16"
DRAWER 5/4 STATESMAN 9" x 5-1/16"


DOOR

OUTSIDE EDGE PROFILE	D70	
PANEL PROFILE	PR247	
RAILS	SR197	
STILES	SR197	
APPLIED MOLDING	N/A	


Elite series 4-91
munson 5-quarter doorstyle



PARTIAL OVERLAY STYLING HAS
A 1/2-INCH REVEAL ON TOP, BOTTOM,
SIDES, AND A 1/2-INCH REVEAL BE-
TWEEN DRAWER FRONTS AND DOORS.




DRAWER FRONT
OVERLAY EDGE SHOWN HERE
UPCHARGE FRONT SHOWN ON PICTURE




DOOR
OVERLAY EDGE SHOWN HERE

SHOWN INSET WITH OVERTURE B FRAME, 5-PIECE DRAWER FRONT


DRAWER FRONT OPTIONS




5/4 SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [UPCHARGE]



1-3/8 STATESMAN [UPCHARGE]

CONSTRUCTION

INSET AND PARTIAL OVERLAY
5/8-INCH THICK RAISED CENTER PANEL
1-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME AND
DOORS TO USE IN PLACE OF
WAINSCOT PANELS

PARTIAL OVERLAY: WAINSCOT
AVAILABLE.

FRAME STYLES: OVERTURE A,
OVERTURE B [shown], OVERTURE F

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 12" x 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" x 5-1/16"
DRAWER 5/4 STATESMAN 9" x 5-1/16"

DRAWER FRONT

OUTSIDE EDGE PROFILE	D79	
DRAWER STYLE	RPB240	
RAILS	SR198	
STILES	SR198	
APPLIED MOLDING	N/A	


DOOR

OUTSIDE EDGE PROFILE	D79	
PANEL PROFILE	PR302	
RAILS	SR198	
STILES	SR198	
APPLIED MOLDING	N/A	

4-92 Elite series
raleigh 5-quarter doorstyle




SHOWN WITH OVERTURE B FRAME, 5-PIECE DRAWER FRONT



PARTIAL OVERLAY STYLING HAS
A 1/2-INCH REVEAL ON TOP, BOTTOM,
SIDES, AND A 1/2-INCH REVEAL BE-
TWEEN DRAWER FRONTS AND DOORS.

DRAWER FRONT


OVERLAY EDGE SHOWN HERE
UPCHARGE FRONT SHOWN ON PICTURE




DOOR

OVERLAY EDGE SHOWN HERE


DRAWER FRONT OPTIONS




5/4 SLAB [STANDARD]



3-PIECE [UPCHARGE]



5-PIECE [STANDARD]



1-3/8 STATESMAN [UPCHARGE]

CONSTRUCTION

INSET OR PARTIAL OVERLAY
5/8-INCH THICK RAISED CENTER PANEL
1-INCH THICK STILES AND RAILS
3-INCH WIDE STILES AND RAILS

CENTER PANEL

SOLID WOOD CENTER PANEL
MDF IN PAINTED FINISHES

OPTIONS

FRAME DOORS AVAILABLE

INSET: ORDER FACE FRAME AND
DOORS TO USE IN PLACE OF
WAINSCOT PANELS

PARTIAL OVERLAY: WAINSCOT
AVAILABLE.

FRAME STYLES: OVERTURE B
[shown]

EDGE TREATMENTS

ADDITIONAL EDGES AVAILABLE

WOOD SPECIES

PLEASE SEE CHARTS ON PAGES 3-02 thru 3-08

FINISHES

PLEASE SEE CHARTS ON PAGES 3-10 thru 3-19

MINIMUM REQUIREMENTS

DOOR 12" x 12"
DRAWER SLAB N/A
DRAWER 3-PIECE N/A
DRAWER 5-PIECE 9" x 5-1/16"
DRAWER 5/4 STATESMAN 9" x 5-1/16"

DRAWER FRONT

OUTSIDE EDGE PROFILE [INSET]	D33	
DRAWER STYLE	10	
RAILS	SR199	
STILES	SR199	
APPLIED MOLDING		

DOOR

OUTSIDE EDGE PROFILE	D33	
PANEL PROFILE	PR327-32	
RAILS	SR199	
STILES	SR199	
APPLIED MOLDING	NEED	